

N55.9287; W2.6478. 1.4.12. 150m.

2.4 Coprinus misses ✓ i-d. in field, confirmed s.m.

Small 250  $\mu$ m pale pinkish apothecia

Asci born apothecia with furrows margin




sp 25.5-27.5 x 11-12.5 surfaces ✓

Leptotheca carries? (NO) see 3.4 below  
Asci 130 x 20

sp 16 x 8 KI -ve spores 14.5 x 8.5   
bi-uniseriate

Small white clots apothecium 400  $\mu$ m

cilia ca 15 long, marginal

sp hyaline, uniseriate 6.5-7.5 x 3.2-3.5  
 Unguarilla tityri ✓

Asci non-operculate 50 x 6-7 KI -ve

with remains  $\uparrow$  Schizothecium

tityri

Schizothecium sp 26 x 13

concom ✓

3.4 Sporobolus 4T 2:30 spores 6.4 x 12



grandispora ✓

Coprinus asci broad 105<sup>-120</sup> x 24 KI -ve

sp 14 x 8 smooth ellipsoid hyaline  $\rightarrow$  paras capitata to 6  
ochraceus ✓

O. lityria on Sch-comicum

4.4. Coprinus miser

8.4 Coprinus miser several

Schizothecium comicum good crown of scales. biseriate

Schizothecium poorer vestigial scales, spores relatively broader 27-27.5 x 14-14.5 biseriate 14.5

14.4 Cop. miser Coprinus ochroleucus

Schizothecium good crown of scales.

sp 25.5-26 x 14.5

Schizothecium sparser smaller scales.

sp narrower 23-25 x 13

2.5 Coprinus miser

Cop. ~~sterile~~ ✓

Cop thin veil

f1/vein

veil hyphae

thin-walled.

spores ellipsoid 7-8 x 4.5


not-slendered at

apertures

Fluorescifer? ✓

21.5 Cop. miser

Large splenoid immersed Pentheca 690 dm  
v. short hairs at ostium. Climate etc.  
f. sparse, biserial, climate when dry.



pedicel 29 x 12.5  
intestinales ✓

Cop. schlosseri 4 spread, no food cystidia

pellucidos ✓

28.5 Ped. intestinales

