

Have Liawson, Herault, Fr. 11.6.98

510 m

51/98

322'E 43° 38'N incubated: 32.7

3.8 Sporomella 4 ER 51.5 x 10
balving intake

Phana Spor. hyaline 9-10 x 4
occasionally 1-septate

5.8 Sordaria 19.5 x 11.2 good strength ✓
fungida

Sp. intermedia ✓

9.8 Imm fungida ?

very tough →

Phana

Sordaria fungida

Imm Sporomella ± superficial spherical ?

11.8 Podospora 16-spored (?) pleospora ✓

Sordaria fungida ✓

17.8 Hypocrea Solitary, white mycelial disc with
black ostioid - immersed

Pod. pleospora 16 sp Imm. dupl. apothecia - S. vers?
Sp. intermedia ✓ 48-61

22.8 Hypocrea Sitkay. white serotiny mycelium

26-24 x 12.8 g.s. 14.4

I Simple blue ink plug. ca 6x6
Spores with minimal nipple above eq - 2 celled!

Podoparmia plerospora

Sp. intermedia

26.8 Tash brown cylindrical stroma is
fruticose 4-spored. Bombardoid?

occasional 2-3 spored ones with fruit abnormal
spores

horned spores 37-35.3 x 16. black gp at each
end. good gel. unable to see any subsp. gps

Bombardiaria strains

Asci long stalked spore print ca 130-160 x 22-24
No KI reaction

Sp. intermedia

Podoparmia

Hypocrea

Spore 22.5 x 12

g slit / ca 16
hrefeltii

Saccobolus

3+3+2

Spore mass 30 x 13

Spores 13 x 6.5

depauperatus

27.8 Lasiosphaeria

Setae up to 300

Spores 16-18 x 9.5-10

ellipsoid, not fusoid

Asci

210 x 16

Ciliobolus

benzenellii

2.9

Pod pteropora ✓ 16-sp

Lasabirus

Asci 150 x 19

setae

up

to

220

Spores 18 x 10

glands OK

Thelebotus stercorarius ✓

Bombardier ✓

6.9 Pod pteropora

Hypocoon hefaldii

Sp. intermedia

Chaetomium

spiral hairs

6-7 x 5

bostrychodes ✓

11.9. Shark leniglobis ✓

Sp intermedia

Pod pteropora

T. stercorarius

Las ciliatus

Dated 11.9

<u>H. hefaldii</u>
J. Long
email 5 Jan 99