

Cattle. Boll-o-Bere, Balerno, Edinburgh.
NT135659. N55.88; W3.38. 30.7.13. 187m.

10/13 ✓✓

20.8 Coprinus stercoris ✓ Cop. Schlossi Pellissierii ✓

Pilobolus sp. ellipsoid 6x3 rossii ✓


Podospira decipiens ✓ f. sp. 35-38.5 x 18-19.5

Ascobolus  apothecium large - 250 diam

base: etc 22-24 x 11-11.5 hawaiiensis ✓

Schwarzia f. sp. good sale sp. 25-26 conicum x 12.5-13 ✓

Saccobolus sm 40 x 16 3+3+2 vesiculosus ✓

Ascobolus  25-26 x 10.5 fulvipes ✓
large diam apothecium

Podospira ~~ple~~ Rhyssophila sp 25-26 x 16 pleiospora ✓
(?) 32-spored

Ascobolus immersus ✓

16.8 22.8-16.9 Cop. stercoris ✓ P. decipiens ✓

P. pleiospora? imm A. hawaiiensis ✓

26.9 Trichia microspora ✓

Plectiscus pelleteri ✓ 30 x 14-15 imm.

18/10

Sch. conicum ✓

Aschers hawaiiensis ✓

Pod. deepans ✓

Codophorus conicus ✗

Thecator white spores

Gp. stercore

Asci 480 x 65 apparently thick walled

32 spores sp 35 x 19.5

Rehydrated 27.1

1.2 I. conicus ✓

Asca hawaiiensis ✓

Gp. sekrosi with brownish spores

subles < 65 long tapered, not apitate.

< 45 ^{diam.} long

Leptoneus ✗

Sp. 4 ER 55-57 x 9.5 intermedia ✗

Sacc 4 x 2 Sam 48 x 16 spores truncate fused

19 x 8

Chinos ✗

Dg also 1.2